



L200



Exceptional Journeys



A Stylish Show of Strength. MITSUBISHI L200

Feel the power. Feel the handling.
Feel a new level of comfort in an entirely new class of vehicle.
The all new MITSUBISHI L200, it's all truck and all car and it changes the way you think about getting from one place to another.



Robust Handling

The L200 is built for maximum stability and traction. Its rugged frame contributes to solid handling and its body is aerodynamically contoured for stable highway performance. Reliable 4WD traction combines with an advanced suspension to keep you in touch with surface conditions so you stay in firm control.

SUPER SELECT 4WD-II

Using the drive mode selector dial, you can switch between 2WD (2H), and 4WD (4H, 4HLc) with shift-on-the-fly convenience at up to 100km/h. When the going gets rough, lock the center differential by entering the 4HLc setting for rugged terrain or the 4LLc setting for inclines, mud and snow.


Note: The vehicle must be stopped while switching between 4HLc and 4LLc.

2H	4H	4HLc	4LLc
For normal road conditions	For rough roads and hazardous conditions	For rugged terrain with low-grip surfaces	For steep hills, mud, sand, deep snow, etc.



Easy select 4WD

Switch from smooth 2WD (2H) highway performance to rugged 4WD (4H) traction while driving at up to 100km/h. Transfer torque to all four wheels with a flick of the drive mode selector dial in the 4H mode or by entering the 4L mode, which provides lower gear ratios and higher torque for slower speed driving in rough terrain.




Class-leading 5.9m turning radius

The turning radius is surprisingly small for a vehicle of this size, making the L200 especially easy to park and maneuver.
4WD: 5.9 meters

Quick, responsive handling

Steering is sporty and responsive, requiring less effort to turn.




Safety

RISE body

Collision safety performance is significantly enhanced by Mitsubishi's RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.

Rigid lightweight body




The body is extremely sturdy and lightweight, thanks to the generous use of high tensile strength steel plates that also contribute to a high level of collision safety.



7 SRS airbags


In the event of a collision, seven SRS airbags help protect you and your passengers by absorbing the force of impact. The system includes front airbags, front side airbags, curtain airbags and a driver's knee airbag. (Optional on GLS)




ABS with EBD

The L200's ABS gives you the ability to suddenly maneuver safely around obstacles as you slow down. EBD (Electronic Brake-force Distribution) assists by applying additional force to the rear brakes as needed, enabling quicker stops even when carrying passengers and heavy loads.

Operational Schematic of Active Stability Control



Operational Schematic of Active Traction Control



Convenience (Auto Only)



Audio System with 6.1-inch Full-color Display

The L200 now features a display with 6.1-inch full-color touch screen. In addition to giving you full control over a wide range of audio options, the display also links to the rearview camera.

- Easy-to-select menu**
The intuitive interface makes selecting functions safe and easy.
- Rearview camera**
Safely navigate into even tight parking spaces.
- USB connectivity**
Select music directly from your portable player.
- Hands-free Bluetooth® telephone**
Incoming calls are displayed for easy viewing.



TECHNICAL SPECIFICATIONS

Model	L200 Triton 2.4 Manual	L200 Triton 2.4 Auto
Engine		
Type	4N15, DOHC	
Engine Capacity (CC)	2,442	
Emission Standard	Euro 6	
Max. Output kW (PS) / rpm	113 (151) / 3,500	133 (178) / 3,500
Max. Torque Nm / rpm	380 / 1,500 - 2,500	430 / 2,500
Transmission	6-speed manual	5-speed automatic with Sports Mode
Drive System	4WD Selectable	
Fuel system		
Fuel supply equipment	Electronic Common Rail Direct Injection	
Fuel tank capacity (litres)	75	
Fuel consumption (L/100km) combined	6.9	7.5
CO2 Emission (g/km)	180	196
General		
Steering	Rack-and-pinion, Power assisted	
Suspension Front	Wishbone, coil springs	
Suspension Back	Elliptic leaf, springs	
Brakes Front	Ventilated Discs	
Brakes Back	Leading-and-Trailing Drums	
Performance		
Turning radius (m)	5.9	
Top speed (km/h)	167	175
Weights & Dimensions (mm)		
Overall length	5,205	5,205
Overall width	1,785	1,815
Overall height	1,775	1,780
Wheelbase	3,000	
Ground clearance	225	270
Cargo bed length	1,520	
Cargo bed width	1,470	
Cargo bed height	475	
Gross vehicle weight (kg)	2,900	2,910
Kerb weight (kg, est)	1,800	1,800
Tyres (front & rear)	205 / 70R16 with 16"	245 / 70R16 with 16"

EXTERIOR COLORS







White Solid (W32)



Sterling Silver Metallic (U25)

DIMENSIONAL VIEWS

Double Cab (4WD)



PEACE OF MIND

5 YEARS
100,000KM
MILEAGE WARRANTY

24/7
ROAD SIDE ASSISTANCE

MITSUBISHI SHOWROOMS:

239 Alexandra Road S(159930) Tel: 6473 9722

22 Ubi Road 4 S(408617) Tel: 6746 3000

CORPORATE SALES:

239 Alexandra Road, Level 2, S(159930) Tel: 6470 7377

mitsubishi.sg



Mitsubishi Motors Singapore